

● PRINTER RUSH ●

(PTO ASSISTANCE)

HC
Plant
SIF

Application :	<u>10/775,618</u>	Examiner :	<u>HWU</u>	GAU :	<u>1661</u>
From :	<u>LEED</u>	Location :	IDC <u>(FME)</u> FDC	Date :	<u>2/22/05</u>
Tracking #:		<u> </u>		Week Date: <u> </u>	

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449	_____	<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS	_____	<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM	_____	<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW	_____	<input checked="" type="checkbox"/> Fees
<input type="checkbox"/> SRFW	_____	<input type="checkbox"/> Other
<input type="checkbox"/> DRW	_____	
<input type="checkbox"/> OATH	_____	
<input type="checkbox"/> 312	_____	
<input type="checkbox"/> SPEC	_____	

[RUSH] MESSAGE: ① Notice of Fee Due. mistakenly
considered file as Utility
rather than a Plant

Please make all necessary corrections
Thank you LEED

[XRUSH] RESPONSE: _____

INITIALS: _____

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.
 REV 10/04